

# HP Color LaserJet Managed MFP E57540 series



## Unparalleled performance. Deepest security.

Ideal for enterprises and medium businesses that need a secure, highly productive, energy-efficient colour MFP.



HP Color LaserJet Managed MFP E57540dn



HP Color LaserJet Managed Flow MFP E57540c

### High-speed performance meets energy efficiency

- Print the first page from sleep mode as fast as 8.6 seconds.<sup>1</sup>
- Speed through jobs. Print two sides almost as quickly as one – up to 40 ipm<sup>2</sup> – and scan both sides of the page at once.
- This MFP uses exceptionally low amounts of energy – thanks to its innovative design and toner technology.<sup>3</sup>
- Choose a maximum capacity of up to 2,300 sheets.<sup>4</sup> Print up to 59 pages per minute on A5.<sup>2</sup>

### Unparalleled fleet security and management

- Embedded features detect security threats and heal your MFP, protecting it from boot up to shutdown.<sup>5</sup>
- Protect sensitive data on the MFP and in transit, using embedded security features and 256-bit encryption.<sup>5</sup>
- Protect sensitive business data with embedded and optional HP JetAdvantage Security Solutions.<sup>6</sup>
- Centralise control of your printing environment with HP Web Jetadmin – and help build business efficiency.<sup>7</sup>

### More. Pages, performance, and protection.

- Make an impression with leading colour quality from HP. Get unparalleled printing for your office needs.
- Get more pages with each Original HP Toner cartridge with JetIntelligence and high-yield cartridges.<sup>8,9</sup>
- Help ensure the Original HP quality you paid for with anti-fraud and cartridge authentication technology.
- Print right away with preinstalled toner cartridges. Replace them with cartridges featuring auto seal removal.

### Stay connected with secure mobile printing options

- Enable 128-bit encrypted wireless direct printing from mobile devices – without accessing the network.<sup>10</sup>
- Print with just a touch of your NFC-enabled mobile device to this printer – no network needed.<sup>11</sup>
- Easily print from a variety of smartphones and tablets – generally no setup or apps required.<sup>12</sup>
- Easily access, print, and share resources with Ethernet and optional wireless networking.<sup>13</sup>



Color touchscreen



Color laser technology



Low energy

## Product walkaround

### HP Color LaserJet Managed Flow MFP E57540c shown

1. 100-sheet ADF with single-pass, two-sided scanning and HP EveryPage
2. Hardware Integration Pocket
3. Easy-access USB port
4. 250-sheet output tray
5. Front door (access to HP JetIntelligence Toner cartridges)
6. Fax port, Ethernet port, Host USB port, Hi-Speed USB 2.0 printing port
7. Automatic two-sided printing
8. 550-sheet tray 2
9. 20.3 cm (8 in) colour touchscreen
10. Optional wireless direct printing/optional NFC
11. Convenience stapler
12. Advanced workflow features, including pull-out keyboard
13. Right door (access to the print path)
14. 100-sheet multipurpose tray 1
15. HP High-Performance Secure Hard Disk



## Series at a glance



Model	HP Color LaserJet Managed MFP E57540dn	HP Color LaserJet Managed Flow MFP E57540c
Product number	3GY25A	3GY26A
Print, copy, scan, and optional fax	Yes	Yes
Print speed up to 40 ppm (black and colour)	Yes	Yes
100-sheet ADF with single-pass, two-sided scanning	Yes	Yes
20.3 cm (8.0 in) colour touchscreen	Yes	Yes
100-sheet multipurpose tray 1; 550-sheet tray 2	Yes	Yes
HIP, easy-access USB, encrypted HDD	Yes	Yes
Advanced workflow features	No	Convenience stapler; Scan to Microsoft® SharePoint®; HP EveryPage technology; Pull-out keyboard; Embedded OCR

## Accessories, Supplies and Support

<b>Supplies<sup>1</sup></b>	<b>B5L36A</b> HP Color LaserJet B5L36A 220V Fuser Kit (Average yield 150,000 pages)
	<b>B5L37A</b> HP Color LaserJet B5L37A Toner Collection Unit (Average yield 54,000 pages)
	<b>CF360XC</b> HP High Yield Black Contract Original LaserJet Toner Cartridge (14,900 pages) <b>CF361XC</b> HP High Yield Cyan Contract Original LaserJet Toner Cartridge (11,700 pages) <b>CF362XC</b> HP High Yield Yellow Contract Original LaserJet Toner Cartridge (11,700 pages) <b>CF363XC</b> HP High Yield Magenta Contract Original LaserJet Toner Cartridge (11,700 pages) <b>W9060MC</b> HP Black Managed LaserJet Toner Cartridge (15,000 pages) <b>W9061MC</b> HP Cyan Managed LaserJet Toner Cartridge (12,200 pages) <b>W9062MC</b> HP Yellow Managed LaserJet Toner Cartridge (12,200 pages) <b>W9063MC</b> HP Magenta Managed LaserJet Toner Cartridge (12,200 pages)
<b>Accessories</b>	<b>E5K48A</b> HP 1 GB x32 144-pin (800 MHz)DDR3 SODIMM
	<b>B5L53A</b> HP LaserJet MFP Analog Fax Accessory 600
	<b>B5L34A</b> P Color LaserJet 550-sheet Media Tray
	<b>A7W14A</b> HP LaserJet Swedish Overlay Keyboard
	<b>B5L28A</b> HP Internal USB Ports
	<b>B5L51A</b> HP Color LaserJet Printer Cabinet
	<b>B5L31A</b> HP Foreign Interface Harness
	<b>F5S62A</b> HP Trusted Platform Module Accessory
	<b>Q7432A</b> HP Staple Cartridge Pack
<b>Connectivity</b>	<b>J8030A</b> HP Jetdirect 3000w NFC/Wireless Accessory
	<b>J8031A</b> HP Jetdirect 2900nw Print Server
<b>Service and support</b>	<b>U8TW4E</b> HP 3 year Next Business Day with Defective Media Retention Service for LaserJet M577 E57540 Managed <b>U8TW5E</b> HP 4 year Next Business Day with Defective Media Retention Service for LaserJet M577 E57540 Managed <b>U8TW6E</b> HP 5 year Next Business Day with Defective Media Retention Service for LaserJet M577 E57540 Managed <b>U8TX0PE</b> HP 1 year Post Warranty Next Business Day with Defective Media Retention Service for LaserJet M577 E57540 Managed <b>U8TX1PE</b> HP 2 year Post Warranty Next Business Day with Defective Media Retention Service for LaserJet M577 E57540 Managed <b>U9JT2E</b> HP Installation Service with Network Configuration Workgroup Printer

## Technical specifications

Model	HP Color LaserJet Managed MFP E57540dn	HP Color LaserJet Managed Flow MFP E57540c
<b>Product number</b>	3GY25A	3GY26A
<b>Functions</b>	Print, copy, scan	
<b>Control panel</b>	20.3 cm (8 in) Colour Graphics Display (CGD) with touchscreen; Rotating (adjustable angle) display; Illuminated Home button (for quick return to the Home menu)	20.3 cm (8 in) Colour Graphics Display (CGD) with touchscreen; Rotating (adjustable angle) display; Illuminated Home button (for quick return to the Home menu); Extended Keyboard
<b>Print</b>		
Print technology	Laser	
Print speed <sup>1</sup>	<b>Black (A4, normal):</b> Up to 38 ppm; <b>Colour (A4, normal):</b> Up to 38 ppm; <b>Black (A4, duplex):</b> Up to 38 ipm	
First page out	<b>Black (A4, ready):</b> As fast as 5.6 sec <b>Colour (A4, ready):</b> As fast as 6.9 sec; <b>Black (A4, sleep):</b> As fast as 8.6 sec; <b>Colour (A4, sleep):</b> As fast as 8.8 sec	<b>Black (A4, ready):</b> As fast as 5.9 sec <b>Colour (A4, ready):</b> As fast as 6.9 sec; <b>Black (A4, sleep):</b> As fast as 9.1 sec; <b>Colour (A4, sleep):</b> As fast as 9.0 sec
Print resolution	<b>Black (best):</b> Up to 1200 x 1200 dpi; <b>Colour (best):</b> Up to 1200 x 1200 dpi; <b>Technology:</b> HP ImageREt 3600, Pantone Calibrated	
Monthly duty cycle <sup>2</sup>	Up to 120,000 pages (A4); <b>Recommended monthly page volume<sup>3</sup>:</b> 2000 to 15,000	
Printer smart software features	Print preview, duplex printing, print multiple pages per sheet (2, 4, 6, 9, 16), collation, watermarks, store print jobs, easy-access USB, HP Easy Colour	
Standard print languages	HP PCL 6; HP PCL 5c; HP postscript level 3 emulation, native PDF printing (v 1.7)	
Fonts and typefaces	105 internal TrueType fonts scalable in HP PCL, 92 internal scalable fonts in HP postscript Level 3 emulation (Euro symbol built-in); 1 internal Unicode Fonts (Andale Mono World Type); 2 Internal Windows Vista 8 Fonts (Calibri, Cambria); Additional font solutions available via third-party flash memory cards; HP LaserJet Fonts and IPDS Emulation available at <a href="http://www.hp.com/go/laserjetfonts">http://www.hp.com/go/laserjetfonts</a>	
Print area	<b>Print margins:</b> Top: 2 mm absolute/5 mm assured image, Bottom: 2 mm absolute/5 mm assured image, Left: 2 mm absolute/5 mm assured image, Right: 2 mm absolute/5 mm assured image; <b>Maximum print area:</b> 215.9 x 355.6 mm	
Duplex printing	Automatic (standard)	
<b>Copy</b>		
Copy speed	<b>Black (A4):</b> Up to 38 cpm; <b>Colour (A4):</b> Up to 38 cpm	
Copier specifications	Two-sided copying; Scalability; Image adjustments (darkness, contrast, background cleanup, sharpness); N-up; N or Z-ordering; Content orientation; Collation; Booklet; Job build; Edge-to-edge; Job storage; ID Copy; Book Copy; A-to-B Copy (different media sizes); <b>Maximum number of copies:</b> Up to 9999 copies; <b>Reduce/Enlarge:</b> 25 to 400%	
<b>Scan</b>		
Scan speed	<b>Normal (A4):</b> Up to 43 ppm/43 ipm (black and white), up to 38 ppm/38 ipm (colour); <b>Duplex (A4):</b> Up to 43 ipm (black and white), up to 38 ipm (colour)	<b>Normal (A4):</b> Up to 45 ppm/64 ipm (black and white), up to 45 ppm/58 ipm (colour); <b>Duplex (A4):</b> Up to 64 ipm (black and white), up to 58 ipm (colour)
Scan file format	PDF, JPEG, TIFF, MTIFF, XPS, PDF/A	Digital Send: PDF, JPEG, TIFF, MTIFF, XPS, PDF/A, TEXT (OCR), Unicode TEXT (OCR), RTF (OCR), Searchable PDF (OCR), Searchable PDF/A (OCR), HTML (OCR), CSV (OCR); Scan to easy access USB: PDF, JPEG, TIFF, MTIFF, XPS, PDF/A, TEXT (OCR), Unicode TEXT (OCR), RTF (OCR), Searchable PDF (OCR), Searchable PDF/A (OCR), HTML (OCR), CSV (OCR); Print from easy access USB: PDF, PS, Print Ready files (.prn, .pcl, .cht)

Model	HP Color LaserJet Managed MFP E57540dn	HP Color LaserJet Managed Flow MFP E57540c
Product number	3GY25A	3GY26A
Scanner specifications	<b>Scanner type:</b> Flatbed, ADF; <b>Scan technology:</b> Contact Image Sensor (CIS); <b>Duplex ADF scanning:</b> Yes; <b>Scan size maximum (flatbed, ADF):</b> 216 x 356 mm; <b>Optical scan resolution:</b> Up to 600 dpi	
Recommended monthly scan volume <sup>4</sup>	4150 to 6900	8350 to 13,900
Scannable area	<b>Minimum media size (flatbed):</b> No minimum <b>Maximum media size (flatbed):</b> 216 x 356 mm; <b>Minimum media size (ADF):</b> 105 x 127 mm; <b>Maximum media size (ADF):</b> 216 x 356 mm	
Bit depth/ Grey scale levels	24-bit / 256	
Digital sending	<b>Standard:</b> Scan to E-mail; Save-to-Network Folder; Save-to-USB drive; Send to FTP; Send to Internet Fax; Local Address Book; SMTP over SSL; Blank Page Removal; Edge Erase; Auto Colour Sense; Auto Crop To Content; Compact PDF	<b>Standard:</b> Scan to E-mail; Save-to-Network Folder; Save-to-USB drive; Send to FTP; Send to Internet Fax; Local Address Book; SMTP over SSL; Blank Page Removal; Edge Erase; Auto Colour Sense; Auto Crop To Content; Compact PDF
Processor speed	1.2 GHz	
<b>Connectivity</b>		
Standard	2 Hi-Speed USB 2.0 Host; 1 Hi-Speed USB 2.0 Device; 1 Gigabit/Fast Ethernet 10/100/1000Base-TX network; Hardware Integration Pocket	
Optional	HP Jetdirect 3000w NFC/Wireless Accessory J8030A, HP Jetdirect 2900nw Print Server J8031A	
Mobile printing capability <sup>5</sup>	HP ePrint; Apple AirPrint™; Mopria-certified; Google Cloud Print 2.0	
Supported network protocols	Via built-in networking solution: TCP/IP, IPv4, IPv6; Print: TCP-IP port 9100 Direct Mode, LPD (raw queue support only), Web Services Printing, IPP 2.0, Apple AirPrint™, HP ePrint, FTP Print, Google Cloud Print; Discovery: SLP, Bonjour, Web Services Discovery; IP Config: IPv4 (BootP, DHCP, AutoIP, Manual, TFTP Config, ARP-Ping), IPv6 (Stateless Link-Local and via Router, Statefull via DHCPv6); Management: SNMPv2/v3, HTTP/HTTPS, Telnet, TFTP Config, FTP FW Download, Syslog; Security: SNMPv3, SSL Cert Management, Firewall, ACL, 802.1x	
Hard disk	Standard, embedded HP High-Performance Secure Hard Disk, minimum 320 GB; AES 256 hardware encryption or greater; Secure erase capabilities (Secure File Erase-Temporary Job Files, Secure Erase-Job Data, Secure ATA Erase-Disk)	
Memory	<b>Standard:</b> 1.25 GB (printer), 500 MB (scanner); <b>Maximum</b> <sup>6</sup> : 2.0 GB (printer), 500 MB (scanner)	
<b>Media handling</b>		
Number of paper trays	<b>Standard:</b> 2; <b>Maximum:</b> 5	
Media types	Paper (plain, light, bond, recycled, mid-weight, heavy, mid-weight glossy, heavy glossy, extra heavy, extra heavy glossy, cardstock, card glossy), colour transparency, labels, letterhead, envelope, preprinted, prepunched, coloured, rough, opaque film, user-defined	
Media size	<b>Custom (metric):</b> Tray 1: 76 x 127 to 216 x 356 mm; Tray 2: 102 x 148 to 216 x 297 mm; Optional Trays 3+: 102 x 148 to 216 x 356 mm <b>Supported (metric):</b> Tray 1: A4, RA4, A5, B5 (JIS), B6 (JIS), 10 x 15 cm, A6, 16K, envelopes (B5, C5 ISO, C6, DL ISO); Custom: 76 x 127 to 216 x 356 mm; Tray 2: A4, A5, B5 (JIS), B6 (JIS), 10 x 15 cm, A6, 16K; Custom: 102 x 148 to 216 x 297 mm; Optional Trays 3+: A4, RA4, A5, B5 (JIS), 16K; Custom: 102 x 148 to 216 x 356 mm <b>ADF:</b> Oficio; Executive; Statement; 16K; A4; RA4; A5; A6; B5; B6 (JIS); Postcard (JIS); DPPostcard (JIS)	
Media handling	<b>Standard input:</b> 100-sheet multipurpose tray, 550-sheet input tray 2 <b>Standard output:</b> 250-sheet output bin <b>Optional input:</b> 550-sheet media input tray 3, 550-sheet media input tray 4, 550-sheet media input tray 5 <b>ADF:</b> Standard, 100 sheets	<b>Standard input:</b> 100-sheet multipurpose tray, 550-sheet input tray 2 <b>Standard output:</b> 250-sheet output bin, convenience stapler <b>Optional input:</b> 550-sheet media input tray 3, 550-sheet media input tray 4, 550-sheet media input tray 5 <b>ADF:</b> Standard, 100 sheets
Media weight	Tray 1: 60 to 220 g/m <sup>2</sup> (plain paper), 105 to 220 g/m <sup>2</sup> (glossy paper); Tray 2: 60 to 220 g/m <sup>2</sup> (plain paper), 105 to 220 g/m <sup>2</sup> (glossy paper); Optional Trays 3+: 60 to 220 g/m <sup>2</sup> (plain paper), 105 to 220 g/m <sup>2</sup> (glossy paper)	
Input capacity	<b>Tray 1:</b> Sheets (75 g/m <sup>2</sup> paper): 100; Transparencies, cardstock (163 g/m <sup>2</sup> ): 50; Cardstock (216 g/m <sup>2</sup> ): 30; Envelopes: 10 <b>Tray 2:</b> Sheets (75 g/m <sup>2</sup> paper): 550; Labels, cardstock (163 g/m <sup>2</sup> ); Transparencies: 100 <b>Tray 3:</b> Sheets (75 g/m <sup>2</sup> paper): 550; Labels, cardstock (163 g/m <sup>2</sup> ); Transparencies: 100 <b>Maximum:</b> Up to 2,300 sheets <b>ADF:</b> Standard, 100 sheets	
Output capacity	<b>Standard:</b> Up to 250 sheets Envelopes: Up to 10 envelopes Transparencies: Up to 100 sheets <b>Maximum:</b> Up to 250 sheets	
Compatible operating systems <sup>5</sup>	Android, Linux Boss (5.0), Linux Debian (7.0, 7.1, 7.2, 7.3, 7.4, 7.5, 7.6, 7.7, 7.8, 7.9, 8.0, 8.1, 8.2, 8.3, 8.4, 8.5, 8.6), Linux Fedora (22, 23, 24), Linux Mint (17, 17.1, 17.2, 17.3, 18), Linux Red Hat Enterprise (6.0, 7.0), Linux SUSE (13.2, 42.1), Linux Ubuntu (12.04, 14.04, 15.10, 16.04, 16.10), OS macOS 10.12 Sierra, OS X 10.10 Yosemite, OS X 10.11 El Capitan, UNIX, Windows 10 all 32/64-bit editions (excluding RT OS for Tablets), Windows 7 all 32/64-bit editions, Windows 8/8.1 all 32/64-bit editions (excluding RT OS for Tablets), Windows Vista all 32-bit editions (Home Basic, Premium, Professional, etc.), Windows XP SP3 32-bit editions (XP Home, XP Pro, etc.)	

Model	HP Color LaserJet Managed MFP E57540dn	HP Color LaserJet Managed Flow MFP E57540c
Product number	3GY25A	3GY26A
Compatible network operating systems	Citrix MetaFrame Presentation Server 3.0, Citrix MetaFrame XP Presentation Server (Feature Release 1, 2, and 3), Citrix on Windows Server 2003/2003 R2, Citrix on Windows Server 2008/2008 R2/2008 R2 SP1, Citrix on Windows Server 2012/2012 R2, Citrix Presentation Server 4.0/4.5, Citrix XenApp 5.0 (Plus Feature Pack 2 & 3) for Windows Server 2008 Terminal Services 32/64-bit, Citrix XenApp 6.0/6.5 (for Windows Server 2008 R2 Terminal Services, 32/64-bit), Citrix XenApp 6.0/6.5/7.5 (for Windows Server 2008 R2 SP1 Terminal Services, 32/64-bit), Citrix XenApp 7.5 (for Windows Server 2012 and 2012 R2 Terminal Services, 64-bit), Citrix XenDesktop 5.6 (for Windows Server 2008 R2 Terminal Services, 32/64-bit), Citrix XenDesktop 5.6/7.0/7.5 (for Windows Server 2008 R2 SP1 Terminal Services, 32- and 64-bit), Citrix XenDesktop 7.0/7.5 (for Windows Server 2012 and 2012 R2 Terminal Services, 64-bit), Novell NetWare 6.5/SP8 Novell Clients <a href="https://www.novell.com/iprint">https://www.novell.com/iprint</a> , Novell iPrint Appliance v1.0, Novell Open Enterprise Server 11/SP1, Novell Open Enterprise Server 2 for Linux, Novell Servers <a href="https://www.novell.com/iprint">https://www.novell.com/iprint</a> , Windows Server 2003/2003 R2 32/64-bit (SP1/SP2) Standard/Enterprise/Datacenter (+ Cluster & Terminal Services), Windows Server 2003/2003 R2 32-bit (SP1/SP2), Standard/Enterprise (+ Cluster & Terminal Services), Windows Server 2008 32/64-bit (SP2) Standard/Enterprise (+ Cluster & Terminal Services), Windows Server 2008 R2 64-bit (SP1) Standard/Enterprise (+ Cluster & Terminal Services), Windows Server 2008/2008 R2 32/64-bit (SP1/SP2) Standard/Enterprise/Datacenter (+ Cluster & Terminal Services), Windows Server 2012/2012 R2 64-bit Standard/Foundation/Essentials/Datacenter (+ Cluster & Terminal Services)	
Minimum system requirements	<b>Windows:</b> 2 GB available hard disk space; OS hardware requirements see <a href="http://www.microsoft.com">http://www.microsoft.com</a> ; <b>Mac:</b> 1.3 GB available hard drive space; Internet; OS hardware requirements see <a href="http://www.apple.com">http://www.apple.com</a> for more info	
Software included	HP Connected, HP Device Experience (DXP), HP PCL 6 (XPS) Printer Driver, HP Software Installer/Uninstaller, Mac OS Welcome Screen (Directs users to <a href="http://www.123.HP.com">http://www.123.HP.com</a> or OS App Source for printer software), Online user manuals	
Security management	Identity management: Kerberos authentication, LDAP authentication, 1000 user PIN codes, optional HP and 3rd party advanced authentication solutions (e.g.: badge readers); Network: IPsec/firewall with Certificate, Pre-Shared Key, and Kerberos authentication, Supports WJA-10 IPsec configuration Plug-in, 802.1X authentication (EAP-PEAP; EAP-TLS), SNMPv3, HTTPS; Certificates, Access Control List; Data: Storage Encryption, Encrypted PDF & Email (uses FIPS 140 validated cryptographic libraries from Microsoft), Secure Erase, SSL/TLS (HTTSPS), Encrypted Credentials; Device: Security lock slot, USB port disablement, hardware integration pocket for security solutions, Intrusion Detection with Red Balloon Security Technology - Constant in-device monitoring for attacks, SureStart Secure Boot - BIOS Integrity Checking with self-healing capability, Whitelisting - loads only known good code (DLLs, EXEs, etc.); Security management: Compatible with HP JetAdvantage Security Manager, Device Security Syslog Messages processed and accessible in Arcsight and Splunk SIEMs	
Printer management	HP JetAdvantage Security Manager; HP SNMP Proxy Agent; HP Web JetAdmin Software; HP WS Pro Proxy Agent; Printer Administrator Resource Kit for HP Universal Print Driver	
<b>Dimensions and Weight</b>		
Printer dimensions (W x D x H) <sup>7</sup>	<b>Minimum:</b> 482 x 504 x 583 mm; <b>Maximum:</b> 699 x 504 x 583 mm	
Package dimensions (W x D x H)	755 x 600 x 650 mm	
Printer weight	38.1 kg	38.6 kg
Package weight	44.4 kg	45 kg
Operating environment	<b>Temperature:</b> 15 to 30°C; <b>Humidity:</b> 30 to 70% RH	
Storage	<b>Temperature:</b> 0 to 35°C; <b>Humidity:</b> 10 to 90% RH	
Acoustics	<b>Acoustic power emissions:</b> 6.5 B(A) (printing at 38 ppm); <b>Acoustic pressure emissions:</b> 51 dB(A) (printing at 38 ppm)	
Power <sup>9</sup>	<b>Requirements:</b> Input voltage: 200 to 240 VAC, 50 Hz (Not dual voltage, product varies by part number with option code identifier); <b>Consumption:</b> 592 watts (printing), 47.3 watts (ready), 3.48 watts (sleep), 0.08 watts (auto-off/manual on), 0.49 watts (auto-off/auto-on/wake on LAN); <b>Typical Electricity Consumption (TEC)<sup>9</sup>:</b> Energy Star 1.58 kWh/Week; Blue Angel 1.51 kWh/Week; <b>Power supply type:</b> Internal (Built-in) power supply	
Certifications	CISPR 22:2008 (International) - Class A, EN 55022:2010 (EU) - Class A, EN 61000-3-2:2006+A1:2009+A2:2009, EN 61000-3-3:2008, EN 55024:2010, EMC Directive 2004/108/EC, Issue 5 Class A, other EMC approvals as required by individual countries ENERGY STAR <sup>®</sup> qualified; EPEAT <sup>®</sup> Silver <b>Blue Angel compliant:</b> Yes, Blue Angel RAL-UZ 205	
What's in the box <sup>10</sup>	HP Color LaserJet Managed MFP E57540dn; Four preinstalled HP LaserJet toner cartridges (black: 6,000 pages, colour: 5,000 pages); Toner collection unit; In-box documentation; CD	HP Color LaserJet Managed Flow MFP E57540c; Four preinstalled HP LaserJet toner cartridges (black: 6,000 pages, colour: 5,000 pages); Toner collection unit; In-box documentation; CD; Power Cord
Warranty	One-year, next-business day, onsite warranty. Warranty and support options vary by product, country and local legal requirements. Go to <a href="http://www.hp.com/support">http://www.hp.com/support</a> to learn about HP award winning service and support options in your region.	

## Footnotes

- <sup>1</sup> Based on HP internal testing of top three leading competitors' first page out from sleep mode and duplex print and copy speed completed 8/2015. Subject to device settings. Actual results may vary. For details, see <http://www.hp.com/go/Ljclaims>.
- <sup>2</sup> Measured using ISO/IEC 24734 and excludes first set of test documents. For more information, see <http://www.hp.com/go/printerclaims>. Exact speed varies depending on the system configuration, software application, driver, and document complexity.
- <sup>3</sup> Based on HP testing using the ENERGY STAR® program's Typical Electricity Consumption (TEC) method or as reported in energystar.gov versus the top three leading competitors as of 8/2015. Actual results may vary. For details see <http://www.hp.com/go/Ljclaims>.
- <sup>4</sup> Purchase of optional paper trays required to reach maximum input capacity.
- <sup>5</sup> Some features require additional purchase. A FutureSmart service pack update may be required to activate security features. Learn more at <http://www.hp.com/go/printsecurity>.
- <sup>6</sup> Some solutions require download or additional purchase. Learn more at <http://www.hp.com/go/printingsolutions>.
- <sup>7</sup> Universal device plug-in is offered with HP Web Jetadmin 10.3 SR4 and higher. HP Web Jetadmin is free and available for download at <http://www.hp.com/go/webjetadmin>.
- <sup>8</sup> More pages versus predecessor cartridges claim based on page-yield comparison of HP 507A High Yield Original LaserJet Toner Cartridges with HP 508X High Yield Original LaserJet Toner Cartridges. For more information, see <http://www.hp.com/go/learnaboutsups>.
- <sup>9</sup> HP 508X High Yield Original LaserJet Toner Cartridges not included. Please purchase separately.
- <sup>10</sup> Requires purchase of optional HP Jetdirect 3000w NFC/Wireless Direct Accessory. Mobile device needs to be connected directly to the Wi-Fi network of a wireless direct-capable MFP or printer prior to printing. Depending on mobile device, an app or driver may also be required. Wireless performance is dependent on physical environment and distance from the access point in the MFP or printer. For details, see <http://www.hp.com/go/businessmobileprinting>.
- <sup>11</sup> Requires purchase of optional HP Jetdirect 3000w NFC/Wireless Direct Accessory. Mobile device must support Near Field Communication (NFC)-enabled printing. For more information, see <http://www.hp.com/go/businessmobileprinting>.
- <sup>12</sup> Wireless operations are compatible with 2.4 GHz operations only. App or software and HP ePrint account registration may also be required. Some features require purchase of an optional accessory. Learn more at <http://www.hp.com/go/mobileprinting>.
- <sup>13</sup> Wireless networking requires purchase of the HP Jetdirect Z900nw Print Server. Wireless performance is dependent on physical environment and distance from access point, and may be limited during active VPN connections.

## Technical specifications disclaimers

- <sup>1</sup> Measured using ISO/IEC 24734, excludes first set of test documents. For more information see <http://www.hp.com/go/printerclaims>. Exact speed varies depending on the system configuration, software application, driver, and document complexity.
- <sup>2</sup> Duty cycle is defined as the maximum number of pages per month of imaged output. This value provides a comparison of product robustness in relation to other HP LaserJet or HP Color LaserJet devices, and enables appropriate deployment of printers and MFPs to satisfy the demands of connected individuals or groups.
- <sup>3</sup> HP recommends that the number of pages per month of imaged output be within the stated range for optimum device performance, based on factors including supplies replacement intervals and device life over an extended warranty period.
- <sup>4</sup> HP recommends that the number of scanned pages per month be within the stated range for optimum device performance.
- <sup>5</sup> Not all "Compatible Operating Systems" are supported with INBOX software. Full solution software available only for Windows 7 and newer. Legacy Windows Operation Systems (XP, Vista, and equivalent servers) get print and scan drivers only. Windows RT OS for Tablets (32/64-bit) uses a simplified HP print driver built into the RT OS. UNIX modelscripts are available on <http://www.hp.com> (Modelscripts are printer drivers for UNIX operating systems). Linux systems use in-OS HPLIP software.
- <sup>6</sup> Max memory is with 1 GB DIMM installed. The maximum the Firmware can use is 2 GB so 250 MB is unused in this configuration.
- <sup>7</sup> Without Tray 1 extended.
- <sup>8</sup> Power requirements are based on the country/region where the printer is sold. Do not convert operating voltages. This will damage the printer and void the product warranty.
- <sup>9</sup> Typical Electricity Consumption (TEC) rating represents the typical electricity consumed by a product during 1 week, measured in kilowatt-hours (kWh).
- <sup>10</sup> Toner cartridge yields established using ISO/IEC test standards. Actual yields and costs vary considerably depending on images printed, number of colour pages printed, and other factors.



[www.blauer-engel.de/uz205](http://www.blauer-engel.de/uz205)



<http://www.hp.com/uk>

The product could differ from the images shown. © Copyright 2018 HP Development Company, L.P. The information contained herein is subject to change without notice. The only warranties for HP products and services are set forth in the express warranty statements accompanying such products and services. Nothing herein should be construed as constituting an additional warranty. HP shall not be liable for technical or editorial errors or omissions contained herein.

